

5G+LTE EN-DC

- Sub6G
- LTE/UMTS

2.4' Touch Screen

- Easy Settings
- Convenient Interaction

Big Battery

- 4500mAh
- Quick Charge

Premium Design

- Portable Size
- Distinctive CMF

Powerful performance

- Qualcomm® SDX55 platform
- Multi SW Feature
- Wi-Fi6, AX1800
- Gigabit Ethernet Port(Optional)

ZTE MU5002

World's first Wi-Fi6 and 5G mobile router



5G Mobile Wi-Fi Router MU5002 Spec



Network	NSA&SA 5G NR+LTE EN-DC - Sub6G FDD: n1/3/7/8/20/28,TDD: n38/78 4G LTE FDD and TDD,CAT20
MIMO	5G+LTE: -sub6G DL : 4MIMO -4G DL: 8layers LTE: 4MIMO on 5CA(4G only)
Bandwidth (MHz)	100M
Chipset	SDX55+QCA6391
Modulation	sub6G DL256QAM, UL 256QAM
5G NR+LTE EN-DC Peak Data Rate	sub6G 3.8Gbps
WiFi	802.11a/b/g/n/ac/ax,2*2 MIMO,AX1800,dual band,32 users
Size	133x73x18.5mm
Interface	1*USB3.1 type C(Gen2), 1*RJ45(GE ,optional), 2*antenna ports
Battery	4500mAH,quick charge
Display	2.4" touch screen,320*240

© ZTE All rights reserved

5G Mobile Wi-Fi Router MU5002 Spec



GSM band	Doesn't support 2G.
UMTS band	B1/2/5/8
LTE band	B1/3/5/7/8/20/28/38/39/40/41/42
5G Sub6 Band	n1/3/5/7/8/20/28/38/40/41/77/78